

Complete List of ASCII codes

www.theasciicode.com.ar

Format: PDF file

	symbol	
ascii code 0	NULL	(Null character)
ascii code 1	SOH	(Start of Header)
ascii code 2	STX	(Start of Text)
ascii code 3	ETX	(End of Text)
ascii code 4	EOT	(End of Transmission)
ascii code 5	ENQ	(Enquiry)
ascii code 6	ACK	(Acknowledgement)
ascii code 7	BEL	(Bell)
ascii code 8	BS	(Backspace)
ascii code 9	HT	(Horizontal Tab)
ascii code 10	LF	(Line feed)
ascii code 11	VT	(Vertical Tab)
ascii code 12	FF	(Form feed)
ascii code 13	CR	(Carriage return)
ascii code 14	SO	(Shift Out)
ascii code 15	SI	(Shift In)
ascii code 16	DLE	(Data link escape)
ascii code 17	DC1	(Device control 1)
ascii code 18	DC2	(Device control 2)
ascii code 19	DC3	(Device control 3)
ascii code 20	DC4	(Device control 4)
ascii code 21	NAK	(Negative acknowledgement)
ascii code 22	SYN	(Synchronous idle)
ascii code 23	ETB	(End of transmission block)
ascii code 24	CAN	(Cancel)
ascii code 25	EM	(End of medium)
ascii code 26	SUB	(Substitute)
ascii code 27	ESC	(Escape)
ascii code 28	FS	(File separator)
ascii code 29	GS	(Group separator)
ascii code 30	RS	(Record separator)
ascii code 31	US	(Unit separator)
ascii code 32		(Space)
ascii code 33	!	(Exclamation mark)
ascii code 34	"	(Quotation mark ; quotes)
ascii code 35	#	(Number sign)
ascii code 36	\$	(Dollar sign)
ascii code 37	%	(Percent sign)
ascii code 38	&	(Ampersand)
ascii code 39	'	(Apostrophe)
ascii code 40	((round brackets or parentheses)
ascii code 41)	(round brackets or parentheses)
ascii code 42	*	(Asterisk)
ascii code 43	+	(Plus sign)

ascii code	44	,	(Comma)
ascii code	45	-	(Hyphen)
ascii code	46	.	(Dot , full stop)
ascii code	47	/	(Slash)
ascii code	48	0	(number zero)
ascii code	49	1	(number one)
ascii code	50	2	(number two)
ascii code	51	3	(number three)
ascii code	52	4	(number four)
ascii code	53	5	(number five)
ascii code	54	6	(number six)
ascii code	55	7	(number seven)
ascii code	56	8	(number eight)
ascii code	57	9	(number nine)
ascii code	58	:	(Colon)
ascii code	59	;	(Semicolon)
ascii code	60	<	(Less-than sign)
ascii code	61	=	(Equals sign)
ascii code	62	>	(Greater-than sign ; Inequality)
ascii code	63	?	(Question mark)
ascii code	64	@	(At sign)
ascii code	65	A	(Capital A)
ascii code	66	B	(Capital B)
ascii code	67	C	(Capital C)
ascii code	68	D	(Capital D)
ascii code	69	E	(Capital E)
ascii code	70	F	(Capital F)
ascii code	71	G	(Capital G)
ascii code	72	H	(Capital H)
ascii code	73	I	(Capital I)
ascii code	74	J	(Capital J)
ascii code	75	K	(Capital K)
ascii code	76	L	(Capital L)
ascii code	77	M	(Capital M)
ascii code	78	N	(Capital N)
ascii code	79	O	(Capital O)
ascii code	80	P	(Capital P)
ascii code	81	Q	(Capital Q)
ascii code	82	R	(Capital R)
ascii code	83	S	(Capital S)
ascii code	84	T	(Capital T)
ascii code	85	U	(Capital U)
ascii code	86	V	(Capital V)
ascii code	87	W	(Capital W)
ascii code	88	X	(Capital X)
ascii code	89	Y	(Capital Y)
ascii code	90	Z	(Capital Z)
ascii code	91	[(square brackets or box brackets)

ascii code	92	\	(Backslash)
ascii code	93]	(square brackets or box brackets)
ascii code	94	^	(Caret or circumflex accent)
ascii code	95	_	(underscore , underline , underbar or low line)
ascii code	96	`	(Grave accent)
ascii code	97	a	(Lowercase a)
ascii code	98	b	(Lowercase b)
ascii code	99	c	(Lowercase c)
ascii code	100	d	(Lowercase d)
ascii code	101	e	(Lowercase e)
ascii code	102	f	(Lowercase f)
ascii code	103	g	(Lowercase g)
ascii code	104	h	(Lowercase h)
ascii code	105	i	(Lowercase i)
ascii code	106	j	(Lowercase j)
ascii code	107	k	(Lowercase k)
ascii code	108	l	(Lowercase l)
ascii code	109	m	(Lowercase m)
ascii code	110	n	(Lowercase n)
ascii code	111	o	(Lowercase o)
ascii code	112	p	(Lowercase p)
ascii code	113	q	(Lowercase q)
ascii code	114	r	(Lowercase r)
ascii code	115	s	(Lowercase s)
ascii code	116	t	(Lowercase t)
ascii code	117	u	(Lowercase u)
ascii code	118	v	(Lowercase v)
ascii code	119	w	(Lowercase w)
ascii code	120	x	(Lowercase x)
ascii code	121	y	(Lowercase y)
ascii code	122	z	(Lowercase z)
ascii code	123	{	(curly brackets or braces)
ascii code	124	 	(vertical-bar, vbar, vertical line or vertical slash)
ascii code	125	}	(curly brackets or braces)
ascii code	126	~	(Tilde ; swung dash)
ascii code	127	DEL	(Delete)
ascii code	128	Ç	(Majuscule C-cedilla)
ascii code	129	ü	(letter "u" with umlaut or diaeresis ; "u-umlaut")
ascii code	130	é	(letter "e" with acute accent or "e-acute")
ascii code	131	â	(letter "a" with circumflex accent or "a-circumflex")
ascii code	132	ä	(letter "a" with umlaut or diaeresis ; "a-umlaut")
ascii code	133	à	(letter "a" with grave accent)
ascii code	134	å	(letter "a" with a ring)
ascii code	135	ç	(Minuscule c-cedilla)
ascii code	136	ê	(letter "e" with circumflex accent or "e-circumflex")
ascii code	137	ë	(letter "e" with umlaut or diaeresis ; "e-umlaut")
ascii code	138	è	(letter "e" with grave accent)

ascii code	139	ï	(letter "i" with umlaut or diaeresis ; "i-umlaut")
ascii code	140	î	(letter "i" with circumflex accent or "i-circumflex")
ascii code	141	ì	(letter "i" with grave accent)
ascii code	142	Ä	(letter "A" with umlaut or diaeresis ; "A-umlaut")
ascii code	143	Å	(Capital letter "A" with a ring)
ascii code	144	É	(Capital letter "E" with acute accent or "E-acute")
ascii code	145	æ	(Latin diphthong "ae" in lowercase)
ascii code	146	Æ	(Latin diphthong "AE" in uppercase)
ascii code	147	ô	(letter "o" with circumflex accent or "o-circumflex")
ascii code	148	ö	(letter "o" with umlaut or diaeresis ; "o-umlaut")
ascii code	149	ò	(letter "o" with grave accent)
ascii code	150	û	(letter "u" with circumflex accent or "u-circumflex")
ascii code	151	ù	(letter "u" with grave accent)
ascii code	152	ÿ	(Lowercase letter "y" with diaeresis)
ascii code	153	Ö	(letter "O" with umlaut or diaeresis ; "O-umlaut")
ascii code	154	Ü	(letter "U" with umlaut or diaeresis ; "U-umlaut")
ascii code	155	ø	(slashed zero or empty set)
ascii code	156	£	(Pound sign ; symbol for the pound sterling)
ascii code	157	∅	(slashed zero or empty set)
ascii code	158	×	(multiplication sign)
ascii code	159	ƒ	(function sign ; f with hook sign ; florin sign)
ascii code	160	á	(letter "a" with acute accent or "a-acute")
ascii code	161	í	(letter "i" with acute accent or "i-acute")
ascii code	162	ó	(letter "o" with acute accent or "o-acute")
ascii code	163	ú	(letter "u" with acute accent or "u-acute")
ascii code	164	ñ	(letter "n" with tilde ; enye)
ascii code	165	Ñ	(letter "N" with tilde ; enye)
ascii code	166	ª	(feminine ordinal indicator)
ascii code	167	º	(masculine ordinal indicator)
ascii code	168	¿	(Inverted question marks)
ascii code	169	®	(Registered trademark symbol)
ascii code	170	¬	(Logical negation symbol)
ascii code	171	½	(One half)
ascii code	172	¼	(Quarter or one fourth)
ascii code	173	¡	(Inverted exclamation marks)
ascii code	174	«	(Angle quotes or guillemets)
ascii code	175	»	(Guillemets or angle quotes)
ascii code	176	⋮	
ascii code	177	⋮	
ascii code	178	▣	
ascii code	179		(Box drawing character)
ascii code	180	├	(Box drawing character)
ascii code	181	Á	(Capital letter "A" with acute accent or "A-acute")
ascii code	182	Â	(letter "A" with circumflex accent or "A-circumflex")
ascii code	183	À	(letter "A" with grave accent)
ascii code	184	©	(Copyright symbol)
ascii code	185	┌	(Box drawing character)
ascii code	186		(Box drawing character)

ascii code	187	┌	(Box drawing character)
ascii code	188	┐	(Box drawing character)
ascii code	189	¢	(Cent symbol)
ascii code	190	¥	(YEN and YUAN sign)
ascii code	191	└	(Box drawing character)
ascii code	192	┘	(Box drawing character)
ascii code	193	├	(Box drawing character)
ascii code	194	┤	(Box drawing character)
ascii code	195	┆	(Box drawing character)
ascii code	196	━	(Box drawing character)
ascii code	197	┣	(Box drawing character)
ascii code	198	ã	(Lowercase letter "a" with tilde or "a-tilde")
ascii code	199	Ã	(Capital letter "A" with tilde or "A-tilde")
ascii code	200	└	(Box drawing character)
ascii code	201	┐	(Box drawing character)
ascii code	202	┌	(Box drawing character)
ascii code	203	└	(Box drawing character)
ascii code	204	┘	(Box drawing character)
ascii code	205	═	(Box drawing character)
ascii code	206	┼	(Box drawing character)
ascii code	207	¤	(generic currency sign)
ascii code	208	ð	(Lowercase letter "eth")
ascii code	209	Ð	(Capital letter "Eth")
ascii code	210	Ê	(letter "E" with circumflex accent or "E-circumflex")
ascii code	211	Ë	(letter "E" with umlaut or diaeresis ; "E-umlaut")
ascii code	212	È	(letter "E" with grave accent)
ascii code	213	ı	(lowercase dot less i)
ascii code	214	Í	(Capital letter "I" with acute accent or "I-acute")
ascii code	215	Î	(letter "I" with circumflex accent or "I-circumflex")
ascii code	216	Ï	(letter "I" with umlaut or diaeresis ; "I-umlaut")
ascii code	217	┘	(Box drawing character)
ascii code	218	┐	(Box drawing character)
ascii code	219	■	(Block)
ascii code	220	■	
ascii code	221	⋮	(vertical broken bar)
ascii code	222	ì	(letter "I" with grave accent)
ascii code	223	■	
ascii code	224	Ó	(Capital letter "O" with acute accent or "O-acute")
ascii code	225	ß	(letter "Eszett" ; "scharfes S" or "sharp S")
ascii code	226	Ô	(letter "O" with circumflex accent or "O-circumflex")
ascii code	227	Ò	(letter "O" with grave accent)
ascii code	228	õ	(letter "o" with tilde or "o-tilde")
ascii code	229	Õ	(letter "O" with tilde or "O-tilde")
ascii code	230	μ	(Lowercase letter "Mu" ; micro sign or micron)
ascii code	231	þ	(Lowercase letter "Thorn")
ascii code	232	Þ	(Capital letter "thorn")
ascii code	233	Ú	(Capital letter "U" with acute accent or "U-acute")
ascii code	234	Û	(letter "U" with circumflex accent or "U-circumflex")

ascii code	235	Ù	(letter "U" with grave accent)
ascii code	236	ý	(Lowercase letter "y" with acute accent)
ascii code	237	Ý	(Capital letter "Y" with acute accent)
ascii code	238	ˉ	(macron symbol)
ascii code	239	´	(Acute accent)
ascii code	240	-	(Hyphen)
ascii code	241	±	(Plus-minus sign)
ascii code	242	=	(underline or underscore)
ascii code	243	¾	(three quarters)
ascii code	244	¶	(paragraph sign or pilcrow)
ascii code	245	§	(Section sign)
ascii code	246	÷	(The division sign ; Obelus)
ascii code	247	¸	(cedilla)
ascii code	248	°	(degree symbol)
ascii code	249	¨	(Diaeresis)
ascii code	250	·	(Interpunct or space dot)
ascii code	251	¹	(superscript one)
ascii code	252	³	(cube or superscript three)
ascii code	253	²	(Square or superscript two)
ascii code	254	■	(black square)
ascii code	255	nbsp	(non-breaking space or no-break space)

visit : www.theasciicode.com.ar